A - USER EXTRACT

CPT codes and descriptions only are copyright 1999 American Medical Association. All rights reserved. Applicable FARS/DFARS apply.

Introduction

The User Extract subsystem enables you to generate customized reports for user-defined criteria. After you identify the kind of information you want, you can select from files ranging from approved Ambulatory Surgical Centers (ASC) to Radiology to Special Interest procedures.

Cautionary Note:

Because you are responsible for defining the criteria that creates the report, you should have a significant knowledge of and experience with Part B data, which is critical to effectively use the User Extract subsystem. In addition, the User Extract subsystem provides you with a great deal of flexibility. Subsequently,

some programming knowledge is beneficial.

<u>Use of the Function Keys in the User Extract Subsystem</u>

This subsystem is the only one that uses the [Le] function key, which is used to rebuild a file.

Helpful Hint

Prepare a layout of how you want your User Extract report to look when the system generates it. This enables you to determine which data elements will appear in the Rows and Columns.

Descriptions of the User Extract Files

This section provides detailed descriptions of each of the User Extract files. Refer to the "User Extract Matrix" (which follows these descriptions) for levels of summary data elements.

1. Special Interest Procedures

This file uses data from the Physician/Supplier Procedure Summary (PSPS) File to provide information based on user-selected procedure code criteria that are of special interest to BESS users. Refer to the "Creating a Special Interest File" section.

2. Radiology Procedures

This file uses data from the PSPS File to provide summary information on all radiology procedures from the range R0000 through R9999 and 70000 through 79999.

3. Errant Procedure Records

This file uses data from the PSPS File, where the error indicator is present, to provide summary information on all errant records identified during the BESS front-end edits. Type of error can be defined by the error indicator (data element ERRIND) shown below. These records are <u>excluded</u> from other User Extract files.

M = Numeric fields in error

C = Indicator fields in error

B = Both

4. Service Assignment

This file uses data from the PSPS File to provide analysis information on each physician/supplier specialty, type of service, and assignment indicator.

5. Specialty Summary

This file uses data from the PSPS File to provide analysis information for all physician/supplier specialties.

6. Anesthesia Procedures

This file uses data from the PSPS File to provide detailed analysis information for procedures with a type of service 7 (Anesthesia).

7. National Procedure Summary

This file uses data from the PSPS File to provide *national* summaries by procedure code and Miles/Times/Units/Service (MTUS) indicator.

7a. Carrier Procedure Summary

This file uses data from the PSPS File to provide *carrier* summaries by procedure code and MTUS indicator.

8. Procedure/Modifier Summary

This file uses data from the PSPS File to provide national summaries by procedure/modifier.

9. Clinical Laboratory Procedures

This file uses data from the PSPS File to provide detailed analysis information on laboratory procedures.

10. Durable Medical Equipment (DME) Prosthetic, Orthotics and Supplies (POS) Procedures

This file uses data from the DME/POS categories to provide detailed analysis information on DME-based procedures that can be viewed or listed.

11. Carrier/Locality Summary

This file uses data from the PSPS File to provide summary information on carrier expenses at the locality level for each procedure.

12. Local Carrier Procedures

This file uses data from the PSPS File to provide summary information on all local procedures that begin with **W**, **X**, **Y**, or **Z** used by the carrier during the year. Local codes are unique to the carrier using them. The same code may be used by different carriers but the code will have different definitions.

13. Approved Ambulatory Surgical Centers (ASC) Procedures

This file uses data from the PSPS File to provide detailed analysis information on procedures approved

PHYSICIAN/SUPPLIER DATA - User Extract	A-4
for ASC use. This file contains data in all places of service for these ASC-approved procedures.	
PART B EXTRACT AND SUMMARY SYSTEM (BESS) USER'S	<u>GUIDE</u>
	~~

User Extract Matrix

This matrix identifies the data elements for each of the files in the User Extract subsystem.

USER FILE	1	2	3	4	5	6	7	7a	8	9	10	11	12	13
Summarized By							<u> </u>							
PROCCD	X	X	X			X	X	X	X	X	X	X	X	X
MOD1	X	X	X			X			X	X	X		X	X
SPECCODE	Х	X	X	X	X	X				X	X		X	X
CARRIER	X	X	X	X	X	X		X		X	X	X	X	X
LOCALITY	Х	X	X			X				X	X	X	X	X
TYPESRV	Х	X	X	X	X	X				X	X		X	X
PLACESRV	X	X	X		X	X				X	X		X	X
MOD2	X	X	X			X				X	X		X	X
REGION	X	X	X			X		X		X	X	X	X	X
ASGNIND				X										
ASCIND		X	X											X
YEAR			X	X	X		X	X	X		X		X	
MTUIND	X	X	X			X	X	X		X	X		X	X
ERRORIND			X											
BETOS									X					
Summary Data														
TOTALSRV	X	X	X	X	X	X	X	X	X	X	X	X	X	X
MTUS	X	X	X			X	X	X		X	X		X	X
SBMTCHRG	X	X	X	X	X	X	X	X	X	X	X	X	X	X
NSBMTCHG				X										
ALOWCHRG	X	X	X	X	X	X	X	X	X	X	X	X	X	X
ALOWSRV	X	X	X	X	X	X	X	X	X	X	X	X	X	X
PAYMTAMT (Reimbursement)	X		X	X	X	Х	X	X	X	X	Х	X	X	X
DENSRV	Х	X	X	X	X	X	X	X	X	X	X	X	X	X
DENAMT	Х	X	X	X	X	X	X	X	X	X	X	X		X
ASGNSRV	X		X		X	X	X	X		X	X		X	X

Using the User Extract Subsystem to Generate Reports

By using the detailed information incorporated in the following sections, you will be able to perform the User Extract Subsystem tasks listed below.

- **!** Generate a report using one of the files 2 through 13. This user's guide provides instructions for producing a report using the Carrier Procedure Summary File (File 7a) as an example. The guide does not provide information for every file in the subsystem.
- ! Create a Special Interest File (File 1) and generate a report based on the Special Interest file.

-----B E S S-----OPTION ===> 1 *********** PRIMARY OPTION MENU *********** Enables you to access five major Part B subsystems and several options 1 PHYSICIAN/SUPPLIER DATA - HCFA Common Procedure Coding System 2 HCPCS SYSTEM 3 FOCUSED MEDICAL REVIEW PILOT - Carrier Performance Monitoring 4 PART B CARRIERS - Addresses and Locality Designations 5 HCPCS/DIAGNOSIS SUMMARY - Under Development 6 BESS Data Elements - BESS Data Element Definitions 7 WHOAMI - Identifies Local Printer ID (Modem Users) 8 PERSONNEL DIRECTORY - Names, Numbers of Contact Persons S SYSTEM INFO - Program Function Key Usage T TUTORIAL X EXIT - End F1: Help F3: Exit

Using the Primary Option Menu Screen

OPTION ===> Specifies the option you want to access.

To access the User Extract subsystem, use the Physician/Supplier Data option.

Type *1*Press [Euter]

and the system displays the *Physician/Supplier Data Primary Option Menu Screen* with the cursor positioned at the **OPTION** ===> prompt.

	B E S S
OPTION ===>	

	* PHYSICIAN/SUPPLIER DATA *
	* PRIMARY OPTION MENU *

El	NABLES YOU TO ACCESS 4 PRIMARY SUBSYSTEMS
1 User Extract	- Retrieval of user-defined Part B data
2 Physician Fee Schedule	- Access to MFSDB Payment Amounts
3 Procedure Summary	- Access to master file
4 Descriptive Statistics	- Data book of statistics
5 Organizational Accesses	- Special Approval Required
T Tutorial	- Under Development
X Exit	- End
F1 : Help	F3: Exit

Using the Physician/Supplier Data Primary Option Menu Screen

OPTION ===> Specifies the primary subsystem you want to access.

To access the User Extract subsystem,

Type *1*Press [Euter]

and the system displays the *User Extract Subsystem Menu Screen*.

Generating a Report from the User Extract Subsystem, Files 2 - 13

This section provides you with detailed procedures that enable you to generate a customized report. On the following pages, the user's guide supplies an example to guide you through the basic operation of the system. As you review the example in this section, you may find it helpful to refer to Attachment A, which provides a hard copy of the report generated by the example.

The first step requires that you identify the kind of information you want the system to use to produce your report. In this section, the user's guide provides you with a request for the following information:

! A determination of the total allowed charges and total allowed services for new patient office visits for all carriers in 1998.

The request is further refined and detailed in the list below:

- Procedure code 99201 (office/outpatient visit new),
- All carriers, and
- 1998 as the year.

OPTION ===> 1					
***************** * USER EXTRACT SUBSYSTEM * *					

1 - 1996-98 MULTI-YEAR USER EXTRACT SYSTEM 2 - 1999 QUARTER-TO-DATE USER EXTRACT SYSTEM					
3 - SPECIAL INTEREST FILE CREATION (1996-1999) 4 - SPECIAL INTEREST FILE INFORMATION					
F1 : Help F3 : Exit					

Using the User Extract Subsystem Menu Screen

OPTION ===> Specifies the option you want to access.

Type the number that identifies the year that corresponds to your request.

The example uses 1998.

Type *1*Press Euter

and the system displays the *File Selection Menu* Screen with the cursor positioned at the **Select Option** ===> prompt.

Note: User Extract contains data for the current year plus three previous years. This screen will change as future data is added to the system.

BESS User Extract - 1996 through 1998

FILE SELECTION MENU

1. Special Interest Procedures File

2. Radiology Procedures File

3. Errant Procedure Records File

4. Service Assignment File

5. Specialty Summary File

6. Anesthesia Procedures File

7. National Procedure Summary File

7a. Carrier Procedure Summary File

8. Procedure/Modifier Summary File

9. Clinical Laboratory Procedures File

10. DME /POS Procedures File

11. Carrier/Locality Summary File

12. Local Carrier Procedures File

13. Approved Ambulatory Surgical Center Procedures File

Select Option ==> 7a

F1: Help

F3: Exit

Using the File Selection Menu Screen

This screen enables you to specify the file that you want the system to use to generate your report.

Select Option ===> Specifies the option you want the system to access.

Type the number or the number/letter, e.g., 7a.

The example uses 7a Carrier Procedure Summary as the file option.

Type *7a*

Press Enter

and the system displays the *Selection Criteria Screen* with the cursor positioned at the **PROCEDURE CODE** field.

Note: Based on the file you select, the system displays data element lists at different levels of summary. Refer to the "User Extract Matrix" to verify applicable data elements for each file.

Selection Criteria Screen

. PROCEDURE CODE
. REGION
. CARRIER
. CARRIER
. TOTAL SERVICES
. MILE/TIME/UNIT/SVC
. MTU INDICATOR
. ALLOWED CHRGS
. ALLOWED CHRGS
. DENIED SERVICES
. ASSIGNED SERVICES
. PAYMENT AMT
. ALLOWED SERVICES

. SUBMITTED CHRGS

TAB TO DATA ELEMENT; PRESS ENTER

F1: Help F3: Exit

Using the Selection Criteria Screen

This screen enables you to specify a data element that the system uses to provide you with a meaningful report.

Press [18] to the data element.

The cursor is positioned at *PROCEDURE CODE*, which the example uses as the data element.

Press Euter.

and the system displays a second *Selection Criteria Screen* with the cursor positioned at the *EQUALS* field.

	Selection	n Criteria Screen			
. EQUALS	. NOT EQUA	ΛL	. LESS THAN OR EQUAL		
. GREATER TH	AN OR EQUAL	. RANGE			
IF PROCEDURE CODE					
Tab to Operator and Pres	s ENTER				
F1 : Help	F3 : Exit				

Using the Selection Criteria Screen

This screen enables you to select the mathematical *operator* that the system uses to test a data element against a value.

Press [18] to the operator.

Note: If you use the operators *EQUALS* or *NOT EQUAL*, you can type more than one value. *RANGE* enables you to type a lower and upper limit. The two remaining operators allow you to type a <u>single</u> value.

The cursor is positioned at the *EQUALS* field, which the example uses as the operator.

Press Euter

and the system displays the *Value Screen* with the cursor positioned at the <u>blank</u> field in the upper left hand corner of the screen.

Value Screen
99201
ENTER 1 TO 10 VALUES
IF PROCEDURE CODE EQUALS
Enter Value(s) and Press Enter F1: Help F3: Exit

Using the Value Screen

This screen enables you to select one or more values (up to 10) that the system uses to select your data.

For a single value, type the data at the first blank field.

For more than one value, press [184] from blank field to blank field and type the values.

The example uses the Procedure Code 99201.

Type **99201** Press Euter

and the system displays the *Continue Selection Criteria Screen* with the cursor positioned at the *AND* field.

Continue Selection Criter	ia Screen			
. AND	. OR			
. END				
AND/OR - for additional selection c END - to complete query	riteria			
IF PROCEDURE CODE EQUALS 99201				
Tab to Connector and Press Enter				
F1: Help F3: Exit				

Using the Continue Selection Criteria Screen

This screen enables you to connect additional criteria to further refine your selection of the data.

Press [18] to the connector.

To complete the selection criteria (and for the example)

Press Euter to *END**

and the system accepts the selection criteria for your report and displays the *Year Selection Screen* with the cursor positioned at the **YEAR:** prompt.

* If you use AND or OR, the system enables you to add selection criteria.

YEAR: 1998

ENTER THE YEAR OR LEAVE BLANK FOR ALL YEARS

IF PROCEDURE CODE EQUALS 99201

F1: Help F3: Exit

Using the Year Selection Screen

This screen "pops down" over the *Selection Criteria Screen* and enables you to type the year(s) for your report.

YEAR: Specifies the year(s) for which you request data.

Type the four-digit year for a single year or leave the prompt blank for all years.

The example uses the year 1998.

Type 1998 Press Euter

and the system displays the Selection Confirmation Screen.

	Selection Confirmation Screen				
	The system has built the following selection criteria: File in use: CARRIER PROCEDURE SUMMARY FILE				
IF PROCEDURE C	ODE EQUALS	99201			
IF YEAR= 1998					
	Press ENTE	ER to Continue			
D1. II-1	F2. F		EC. D.I		

Using the Selection Criteria Confirmation Screen

This screen enables you to confirm that the data the system is using to generate your report is correct.

If the system displays the correct information,

Press Euter *

and the system displays the *Report Selection Screen* with the cursor positioned at the TABULATE field.

If the information is incorrect, press [Let] and rebuild the information,

* If you press [Eufer], you cannot press [Ee] to rebuild the information.

	Report Selection Screen					
	. TABULATE					
	. STATISTICS					
	. LIST SELECTED FILE . FREQUENCIES					
. FREQU	DENCIES					
	TAB TO REPORT TYPE AND PRESS ENTER					
F1: Help	F3: Exit					

Using the Report Selection Screen

This screen enables you to select a report type.

- ! TABULATE (the most commonly-requested report), which arranges the totals and/or averages of user-specific row and/or column data elements.
- ! STATISTICS, which provides a total for each summary data element. (See Attachment C for an example of output.)
- LIST SELECTED FILE, which provides a list of data at the user file summary level. (See "User Extract Matrix." In addition, refer to Attachment D for an example of output.)
- **!** FREQUENCIES, which provides frequencies and percentages weighted by total services for any value in the summary level data elements. (See Attachment E for an example of output.)

Press [199] to the type of report you want the system to generate and press [Euter]. For the example, the cursor is positioned at TABULATE.

Press [Eufet] and the system displays the *Summary Data Elements Screen* with the cursor positioned in the upper left hand corner of the screen.

Summary Data Elements Screen

x ALLOWED CHRGS

DENIED SERVICES

DENIED AMT

TOTAL SERVICES

ASSIGNED SERVICES

MILE/TIME/UNIT/SVC

PAYMENT AMT

x ALLOWED SERVICES

SUBMITTED CHRGS

SELECT SUMMARY DATA ELEMENTS BY PLACING X NEXT TO THEM

F1: HELP

PRESS ENTER TO CONTINUE

Using the Summary Data Elements Screen

This screen enables you to select data elements that the system uses to summarize the data for your report. The data elements displayed on this screen correspond to the summary data elements shown for extract file 7a in the "User Extract Matrix."


Press [184] to the data element(s). The example uses **ALLOWED CHARGES** and **ALLOWED SERVICES**.

Press [184] to ALLOWED CHARGES
Type X

Press [184] to ALLOWED SERVICES
Type X

Press Euter and the system displays the Row/Column Design Screen with the cursor positioned at the

PART B EXTRACT AND SUMMARY SYSTEM (BESS)	USER'S GUIDE
ROW 1 field.	CSLIKS GCIDE
KOW I licid.	



Using the Row/Column Design Screen

This option enables you to design a report that arranges the information according to your specifications.

Note: Each time you specify a data element for the Rows and Columns, the system revises the Design screen and displays your selections.

You <u>must</u> specify a data element for ROW 1. Selections for ROW 2 and COLUMNS 1 and 2 are optional. If you do not want to specify a data element in ROW 2 and/or COLUMNS 1 and 2, you <u>must</u> select NO DATA ELEMENT to enable the system to leave the header (title) blank.

ROW 1: Enables you to specify a data element.

Press [Euter] and the system displays the *Row/Column Data Elements Screen* with the cursor positioned at the first field in the list of data elements.

ROW/COLUMN DATA ELEMENTS SCREEN				
. PROCEDURE CODE . REGION . CARRIER MTUS INDICATOR	. YEAR			
Row totals: _ Column totals: _ Mean: _ Tab to Data Element and Press Enter to Select ROW 1 Data Element F1: Help F3: Exit				


Using the Row/Column Data Elements Screen

This screen enables you to select a data element for ROW 1. The data elements correspond to the summary level data elements for file 7a in the "User Extract Matrix".

Press [184] to the data element you want for the first row.

The example uses the data element *CARRIER*.

and the system revises the *Design Screen*, inserts the data element name at the ROW 1 field, and positions the cursor at the ROW 2 field.



Using the Row/Column Design Screen

ROW 2: Enables you to specify a data element.

Press Enter

and the system displays the *Row/Column Data Elements Screen* with the cursor positioned at the first of the remaining fields in the list of data elements.

	ROW/COLUMN I	DATA ELEMENTS SCREEN			
. PROCEDURE CODE					
. REGION	•	•			
•	•	•			
		•			
. MTUS INDICATOR	•				
	. YEAR NO DATA	LELEMENT			
Row totals: _	Column totals: _	Mean: _			
TAB TO DATA ELEMENT AND PRESS ENTER TO SELECT ROW 2 DATA ELEMENT					
F1: Help F3: Exit					

Using the Row/Column Data Elements Screen

This screen enables you to select a data element for ROW 2.

Press [194] to the data element you want for the second row.

Note: The system has removed the name of the first data element (in this example, CARRIER) from the list.

The example uses *NO DATA ELEMENT*. If you use **NO DATA ELEMENT**, the system leaves the header (title) of the field <u>blank</u>. This rule applies to all Column and Row fields *except* Row 1.

Press Euter to NO DATA ELEMENT Press

and the system revises the *Design Screen*, leaves the header blank at the ROW 2 field, and positions the

cursor at the COLUMN 1 field.

Row/Column Design Screen				
	COL1 COL2			
 CARRIER				
	· · ·			
	.			
Row totals: _ Column totals: _	Mean: _			
PRESS ENTER TO SELECT COL 1 DATA ELEMEN	TT			
F1: Help F3: Ex	xit			

Using the Row/Column Design Screen

COLUMN 1: Enables you to specify a data element.

Press Enter

and the system displays the *Row/Column Data Elements Screen* with the cursor positioned at the first field on the list of data elements.

ROW/COLUMN DATA ELEMENTS SCREEN				
. PROCEDURE CODE				
. REGION				
•				
•	•		•	
	•		•	
. MTUS INDICATOR	VEAD		•	
•	. YEAR	ATA ELEMENT	•	
	.110 D	MIM ELEMENT		
	I	I		
Row totals: _	Column totals: _	Mean	:: _	
TAB TO DATA ELEMENT AND PRESS ENTER TO SELECT COL 1 DATA ELEMENT				
F1: He	p	F3: Exit		


Using the Row/Column Data Elements Screen

This screen enables you to select a data element for COLUMN 1.

Press [184] to the data element you want for the first column.

Again the example uses **NO DATA ELEMENT**.

and the system revises the *Row/Column Design Screen*, leaves the header blank at the COLUMN 1 field, and positions the cursor at the COLUMN 2 field.



Using the Row/Column Design Screen

COLUMN 2: Enables you to specify a data element.

Press Euter

and the system displays the *Row/Column Data Elements Screen* with the cursor positioned at the first field on the list of data elements.

ROW/COLUMN DATA ELEMENTS SCREEN				
. PROCEDURE CODE . REGION		·		
. MTUS INDICATOR	. YEAR . NO DA	ATA ELEMENT		
1		<u> </u>		
 		<u> </u>		
Row totals: _	Column totals: _	Mean: _		
TAB TO DATA ELEMENT AND PRESS ENTER TO SELECT COL 2 DATA ELEMENT				
F1: Help	י	F3: Exit		


Using the Row/Column Data Elements Screen

This screen enables you to select a data element for COLUMN 2.

Press [184] to the data element you want for the second column.

Again, the example uses **NO DATA ELEMENT**.

and the system revises the *Row/Column Design Screen*, leaves the header blank at the COLUMN 2 field, and positions the cursor at the **Row totals:** field.



Using the Row/Column Design Screen

This screen enables you to complete your entries and generate your report with summary totals. The system prompts you to specify any additional <u>totals</u> and/or <u>means</u> (averages) you want to include on the report.

Press $[\mathbf{Ipp}]$ to select any or all of the three fields you want the system to use to generate the additional totals for your request. Type \mathbf{X} at each field you choose. The example does <u>not</u> use row or column totals or a mean.

Press Euter

and the system displays the *Running.... Please Wait Screen*, completes the tabulations, and displays the first page of the report.

COMMAND ===>

RUNNING.... PLEASE WAIT

Using the Running.... Please Wait Screen

This *view-only* screen informs you that the system is generating your report.

After the system runs the report based on the example, the system displays the first page of the report as shown below. Because the report spans 132 positions, the system can display only portions of the report. To view other parts of the report, use the *Output Report* instructions detailed on the following page. **The system does <u>not</u> display the Output Report instructions as a <u>screen</u>.**

COMMAND ===>	
1	CARRIER PROCEDURE SUMMARY PROCEDURE CODE EQUALS 9
	YEAR = 1998
	ALOWCH
	SUM
	CARRIER
	00510 4001
	00511 6512
	00520 3343
	00521 1057

Screen Display for the First Page of the Report

Please take special note of the screen shown below. Remember, the system **does** <u>not</u> **display** the instructions for scrolling the cursor in the Output Report window. This screen is presented in the User's Guide for instructional purposes only.

-----B E S S------

TO SCROLL IN THE OUTPUT WINDOW, USE THE FOLLOWING FUNCTION KEYS:

F3 - EXIT

F7 - SCROLL UP F8 - SCROLL DOWN F10 - SCROLL LEFT F11 - SCROLL RIGHT

TO SCROLL POSITIONALLY IN THE WINDOW, USE A COMBINATION OF TEXT AND/OR THE F KEYS AT THE COMMAND PROMPT. FOR EXAMPLE,

COMMAND> TOP (PRESS ENTER TO GET TO THE TOP OF REPORT)
COMMAND> BOTTOM (PRESS ENTER TO GET TO BOTTOM OF REPORT)

COMMAND> 5 (PRESS F11 TO SCROLL SCREEN 5 POSITIONS TO THE RIGHT OR F10 TO SCROLL SCREEN 5 POSITIONS TO THE LEFT)

COMMAND> 10 (PRESS F8 TO SCROLL 10 LINES DOWN THE SCREEN OR F7 TO SCROLL 10 LINES UP THE SCREEN)

IN ADDITION, THE SYSTEM DISPLAYS THE ACTUAL REPORT PAGE NUMBER IN THE UPPER RIGHT HAND CORNER OF THE SCREEN. TO DETERMINE THE NUMBER OF PAGES IN THE REPORT, GO TO THE BOTTOM OF THE REPORT AND LOOK IN THE UPPER RIGHT HAND CORNER OF THE LAST PAGE.

Scrolling the Cursor in the Output Window

After you have completed reviewing the report,

Press [E3]

and the system displays the *Output Option Screen* with the cursor positioned at the **REMOTE PRINTER LOCATION:** prompt.

Output Option Screen	
REMOTE PRINTER LOCATION: (example: 77)	
Local printer location:(example : LU086232)	
File where output is to be directed:	
TAB TO OUTPUT OPTION, ENTER VALUE, AND PRESS ENTER	
F1: Help F3: Exit	

Using the Output Option Screen

You may select one of the options from this screen if you want to print the report or save it to a file. If you are saving a report to a file, the system will retain the file for 14 days.

Note: Each time you return to this screen, you can direct your output to a different location or file.

Press [IPP] to the option you want to use.

Type your input and

Press [Euter] or

Press [13] to exit.